

**ROLL-A-FLEX**

**UNLIMITED • M.R. SITE SERVICES**  
**IMR**



# ROLL-A-FLEX


Roll-A-Flex is the weld-free method of adding external details to roofs and walls – regardless of material. Developed by MR Site Services, Roll-A-Flex provides a true watertight seal on any profile or surface finish – from extruded or formed aluminium to concrete – and for a vast range of details including soakers and openings.

Roll-A-Flex is applied by our own qualified and skilled engineers so you can be sure that workmanship is of the highest standard.

When you want a job done properly, there's only one choice – MR Site Services.

## Benefits and features

- **Proven product**  
– we have been making watertight penetrations in roofs and walls since 1980.
- **Skilled engineers**  
– all trained in-house to the highest standards.
- **Guaranteed**  
– our work is approved by all the leading insurance companies and the material is guaranteed for 20 years.
- **Suitable for any system or material\***
- **No fire risk**  
– the system is applied cold so there is no risk of fire to insulation materials.
- **Certified and approved**  
– the system is CE approved (ETA certificate no 03/0020), UL and FM approved. Manufactured to ISO9001.



## Technical description

**Roll-A-Flex** is a proven watertight system designed for trouble-free installation on any profile roof or wall – regardless of material – and is especially suited for difficult areas such as hips and valleys.

Guaranteed for 20 years, **Roll-A-Flex** is applied cold, eliminating the risk of fire which is a hazard inherent with some other methods.

**Roll-A-Flex** can be coloured to match existing materials if required and is installed by fully-trained and qualified engineers.



Typical installation without Roll-A-Flex



The same installation with Roll-a-Flex applied



# ROLL-A-FLEX



## Methodology

- Check site.
- Open roof.
- Trim roof profile.
- Clean roof.
- Install outer soaker.
- Cover roof profile.
- Mask off area.
- Apply first level of Roll-A-Flex.
- Apply second level of Roll-A-Flex.
- Remove waste and tidy area.



**ROLL-A-FLEX**



## **MR Site Services Limited**

Unit 6 Worcester Trading Estate,  
Blackpole, Worcester WR3 8HR

Tel: +44 (0)1905 755055  
Fax: +44 (0)1905 755053  
[www.mrsiteservices.co.uk](http://www.mrsiteservices.co.uk)